



Quotation No. 02/2026/S.D.E.

Date: 02-01-2026

Online quotations are invited from the registered Contractor for the mentioned Work below and Quotations must be uploaded to the Secretary Board of School Education Haryana, Bhiwani by E-mail address: ratesbsch@gmail.com by **02:00 PM 09-01-2026** the latest.

Name of work :- Special repair and renovation work in Co-operative bank (Education Board branch).

Sr No	Description Of Items	Qty	Unit	Rates with GST
1	Brick work with common burnt clay non-modular bricks of class designation 7.5 in superstructure above plinth level up to floor IV level in all shapes and sizes in : 7.22.2 Cement mortar 1:6 (1 cement : 6 coarse sand)	0.91	Cum.	
2	Half brick masonry with non modular fly ash bricks of class designation 10, conforming IS :12894, in super structure above plinth and up to floor IV level. 7.31.2 Cement mortar 1 : 4 (1 cement : 4 coarse sand)	2.40	Sqm.	
3	12 mm cement plaster of mix : 11.5.3 ; 1:4 (1 cement: 4 fine sand)	3.96	Sqm	
4	15 mm cement plaster on the rough side of single or half brick wall of mix : 11.6.1 : 1:4 (1 cement: 4 fine sand)	47.46	Sqm.	
5	Providing and applying two coats white cement based putty of approved brand and manufacturer, over plastered surface and grinding the surface smooth with sand paper to get an even and smooth finish including cost and carriage of all material , labour charges, scaffolding, sundries etc. complete	262.64	Sqm.	
6	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : 11.64.1 : New work (two or more coats) over and including water thinnable priming coat with cement primer	201.64	Sqm.	
7	Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade.	17.82	Sqm.	
8	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 litre/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	97.58	Sqm.	
9	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	25.00	Kgs	
10	Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540-F & ISO 11600 Up to 5 mm depth and 5 mm width	50.00	Mtr.	



प्राची गार्हणी



Quotatio
Name
S

		11.00	Sqm.
11	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With toughened glass panes of 6 mm thickness (weight not less than 15 kg/sqm)		
12	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 13.29.2 In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	186.45	Kgs
13	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate..... all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 9.46.312.5 mm thick tapered edge gypsum moisture resistant board	98.51	sqm
14	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :	8.00	Each

Terms & Conditions :-

1	The works shall be carried over as per PWD specifications, HSR-2021 & as desired by Engineer- in- Charge.
2	Conditionally, telegraphic quotations will not be accepted and liable to be rejected straightway.
3	All charges such as Royalty, Municipal Octroi and other all type of taxes as per Govt. Rule shall be paid by the contractor.
4	The quantity of works can be increase/decrease as per our requirements.
5	Nothing will be paid for damage done due to rain and any other act of God.
6	The successful contractor must deposit 10% security amount of contract value. Security amount will be released on request after successful completion of work.
7	Contractor has to be submitted his bill in duplicate after satisfactory completion of the work.
8	No material will be provided by the Board's office.
9	If, any other items of HSR except above mentioned will be paid same rates above or below of HSR as mentioned in work order.
10	The rates of non-schedule items shall be inclusive of fixing and installation complete in all respect and removal of old articles. All items should be ISI Mark and there shall not be extra charges for these items.
11	The unacceptable items shall be subject to replacement at the risk and the responsibility of the contractor.
12	The committee also reserves the right to relax any of the above mentioned conditions and reject all quotation altogether without assigning any reason.
13	In case of any dispute arises, the decision of the Secretary of the Board only shall be final.
14	Rate should be quoted along with G.S.T. on self letter head or in given Annexure x.

30/01/2026
 Assistant Secretary(SDE Cell)
 HBSE, Bhiwani



Annexure: X

Quotation Notice No 02/26/S.D.E.

Date: 09-01-2026

Name of work :- Special repair and renovation work in Co-operative bank (Education Board branch).

Sr No	Description Of Items	Qty	Unit	Quoted Rates (with GST)
1	Brick work with common burnt clay non-modular bricks of class designation 7.5 in superstructure above plinth level up to floor IV level in all shapes and sizes in : 7.22.2 Cement mortar 1:6 (1 cement : 6 coarse sand)	0.91	Cum.	
2	Half brick masonry with non modular fly ash bricks of class designation 10, conforming IS :12894, in super structure above plinth and up to floor IV level. 7.31.2 Cement mortar 1 : 4 (1 cement : 4 coarse sand)	2.40	Sqm.	
3	12 mm cement plaster of mix : 11.5.3 ; 1:4 (1 cement: 4 fine sand)	3.96	Sqm	
4	15 mm cement plaster on the rough side of single or half brick wall of mix : 11.6.1 : 1:4 (1 cement: 4 fine sand)	47.46	Sqm.	
5	Providing and applying two coats white cement based putty of approved brand and manufacturer, over plastered surface and grinding the surface smooth with sand paper to get an even and smooth finish including cost and carriage of all material , labour charges, scaffolding, sundries etc. complete	262.64	Sqm.	
6	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : 11.64.1 : New work (two or more coats) over and including water thinnable priming coat with cement primer	201.64	Sqm.	
7	Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade.	17.82	Sqm.	
8	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 litre/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	97.58	Sqm.	
9	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	25.00	Kgs	
10	Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540-F & ISO 11600 Up to 5 mm depth and 5 mm width	50.00	Mtr.	



राज्य
पाठ्यक्रम
परिषद

11	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With toughened glass panes of 6 mm thickness (weight not less than 15 kg/sqm)	11.00	Sqm.	
12	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 13.29.2 In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	186.45	Kgs	
13	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate..... all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 9.46.312.5 mm thick tapered edge gypsum moisture resistant board	98.51	sqm	
14	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :	8.00	Each	

(Space to be used by the Quotatiner for quotation the rates of the items in figure. The same is to be given back to Board by E-mail after filling up the rates) It is certified that rates of the above items is quoted by me are correct.

1. Name of Quotatiner
2. Name of Firm/Agency/Contractor.....
3. Address Firm/Agency/Contractor.....
4. PAN No.
5. GST No. (Mandatory)
6. Mobile No./E-mail Id
7. Regn. No. of the firm/agency/Contractor
8. Beneficiary Name.....
9. Account No. of the Quotatiner
10. I.F.S.C. Code of the Bank Branch.....
11. Name of the Bank in which Quotatiner has account
12. Name of the Branch of the Bank

Signature of Quotatiner
With seal/stamp