



Quotation No. 05/2026 S.D.E.

Date: 22.01.2026

Online quotations are invited from the registered Contractor for the mentioned Work below and Quotations must be uploaded to the Secretary Board of School Education Haryana, Bhiwani by E-mail address: ratesbseh@gmail.com by 02:00 PM 28-01-2026 the latest.

Name of work :-Vinyl Flooring, False ceiling and glass in window etc. work in OSD to chairman office.(Room No.43)

Sr No	Description Of Items	Qty	Unit	Rates with GST
1/5.29.2	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : 5.29.2 of area beyond 3 mtr.	2.00	cach	
2/11.9.1	15 mm cement plaster on rough side of single or half brick wall of mix: : 1:4 (1 cement: 4 coarse sand) as per HSR 11.9.1	9.29	cach	
3/ 8.26.2.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. 8.26.2 Granite of any colour and shade as per HSR 8.26.2.2	2.79	Sqm	
4/13.29.2	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 13.29.2 in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	120.73	Kgs	
5/12.157.2.2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built-up standard tubular sections.....as per HSR Powder coated aluminium (minimum thickness of powder coated 50 micron)	26.42	Kgs	
6/12.177	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With toughened glass panes of 6 mm thickness (weight not less than 15 kg/sqm)	4.18	Sqm	
7/12.164	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	1.00	Nos	
8/12.166.2	Providing and fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete. 12.166.2 Powder coated minimum thickness 50 micron aluminium	8.00	Nos	



9./12.167.2	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. Complete as per direction of Engineer-in charge. 12.167.2 Powder coated minium thickness 50 micron aluminium	4.00	Nos	
10./12.169	Filling the gap in between aluminium frame & adjacent RCC/Brick/Stone work by providing weater silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.	18.29	Per mtr	
11./12.88	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS:3564, embossed on the body, door weight up to 35 kg and door width up to 700 mm), with necessary accessories and screws etc. complete.	1.00	nos	
12./9.46.3	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 9.46.3 12.5 mm thick tapered edge gypsum moisture resistant board	26.76	sqm	
13./N.S	Providing and fixing Vinyl flooring of wonder floor make having 2mm thickness of desired color using adhesive as recommended by manufacturer complete in all respect as directed by Engineer-in-charge.	29.00	sqm	

Terms & Conditions :-

1	The works shall be carried over as per PWD specifications, HSR-2021 & as desired by Engineer- in- Charge.
2	Conditionally, telegraphic quotations will not be accepted and liable to be rejected straightway.
3	All charges such as Royalty, Municipal Octroi and other all type of taxes as per Govt. Rule shall be paid by the contractor.
4	The quantity of works can be increase/decrease as per our requirements.
5	Nothing will be paid for damage done due to rain and any other act of God.
6	The successful contractor must deposit 10% security amount of contract value. Security amount will be released on request after successful completion of work.
7	Contractor has to be submitted his bill in duplicate after satisfactory completion of the work.
8	No material will be provided by the Board's office.
9	If, any other items of HSR except above mentioned will be paid same rates above or below of HSR as mentioned in work order.
10	The rates of non-schedule items shall be inclusive of fixing and installation complete in all respect and removal of old articles. All items should be ISI Mark and there shall not be extra charges for these items.
11	The unacceptable items shall be subject to replacement at the risk and the responsibility of the contractor.
12	The committee also reserves the right to relax any of the above mentioned conditions and reject all quotation altogether without assigning any reason.
13	In case of any dispute arises, the decision of the Secretary of the Board only shall be final.
14	Rate should be quoted along with G.S.T. on self letter head or in given Annexure x.

22/01/26
Assistant Secretary(M.M.)
HBSE, Bhiwani



Annexure: X

Quotation Notice No 5/26/S.D.E.

Date: - 22.01.2026

Name of work :- Vinyl Flooring, False ceiling and glass in window etc. work in OSD to chairman office.(Room No.43)

Sr No	Description Of Items	Qty	Unit	Quoted Rates (with GST)
1/5.29.2	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : 5.29.2 of area beyond 3 mtr.	2.00	cach	
2/11.9.1	15 mm cement plaster on rough side of single or half brick wall of mix:: 1:4 (1 cement: 4 coarse sand) as per HSR 11.9.1	9.29	cach	
3/ 8.26.2.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. 8.26.2 Granite of any colour and shade as per HSR 8.26.2.2	2.79	Sqm	
4/13.29.2	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 13.29.2 in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	120.73	Kgs	
5/12.157.2.2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built-up standard tubular sections.....as per HSR Powder coated aluminium (minimum thickness of powder coated 50 micron)	26.42	Kgs	
6/12.177	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With toughened glass panes of 6 mm thickness (weight not less than 15 kg/sqm)	4.18	Sqm	
7/12.164	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	1.00	Nos	
8/12.166.2	Providing and fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete. 12.166.2 Powder coated minium thickness 50 micron aluminium	8.00	Nos	
9/12.167.2	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. Complete as per direction of Engineer-in charge. 12.167.2 Powder coated minium thickness 50 micron aluminium	4.00	Nos	



10/12.169	Filling the gap in between aluminium frame & adjacent RCC/Brick/Stone work by providing water silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.	18.29	Per mtr	
11/12.88	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS:3564, embossed on the body, door weight up to 35 kg and door width up to 700 mm), with necessary accessories and screws etc. complete.	1.00	nos	
12/9.46.3	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 9.46.3 12.5 mm thick tapered edge gypsum moisture resistant board	26.76	sqm	
13./N.S	Providing and fixing Vinyl flooring of wonder floor make having 2mm thickness of desired color using adhesive as recommended by manufacturer complete in all respect as directed by Engineer-in-charge	29.00	sqm	

(Space to be used by the Quotationer for quotation the rates of the items in figure. The same is to be given back to Board by E-mail after filling up the rates) It is certified that rates of the above items is quoted by me are correct.

1. Name of Quotationer
2. Name of Firm/Agency/Contractor.....
3. Address Firm/Agency/Contractor.....
4. PAN No.
5. GST No. (Mandatory)
6. Mobile No./E-mail Id
7. Regn. No. of the firm/agency/Contractor
8. Beneficiary Name.....
9. Account No. of the Quotationer
10. I.F.S.C. Code of the Bank Branch.....
11. Name of the Bank in which Quotationer has account
12. Name of the Branch of the Bank

Signature of Quotationer
With seal/stamp