CLASS : 12th (Sr. Secondary) 2090/2040

Series: SS-M/2017

Total No. of Printed Pages: 7

MARKING INSTRUCTIONS AND MODEL ANSWERS AUTOMOBILE

National Skills Qualification Framework (NSQF)

Level - 4

(Only for Fresh Candidates)

उप-परीक्षक मूल्यांकन निर्देशों का ध्यानपूर्वक अवलोकन करके उत्तर-पुस्तिकाओं का मूल्यांकन करें। यदि परीक्षार्थी ने प्रश्न पूर्ण व सही हल किया है तो उसके पूर्ण अंक दें।

General Instructions:

- (i) Examiners are advised to go through the general as well as specific instructions before taking up evaluation of the answer-books.
- (ii) Instructions given in the marking scheme are to be followed strictly so that there may be uniformity in evaluation.
- (iii) Mistakes in the answers are to be underlined or encircled.
- (iv) Examiners need not hesitate in awarding full marks to the examinee if the answer/s is/are absolutely correct.

2090/2040 P. T. O.

- (v) Examiners are requested to ensure that every answer is seriously and honestly gone through before it is awarded mark/s. It will ensure the authenticity as their evaluation and enhance the reputation of the Institution.
- (vi) A question having parts is to be evaluated and awarded partwise.
- (vii) If an examinee writes an acceptable answer which is not given in the marking scheme, he or she may be awarded marks only after consultation with the head-examiner.
- (viii) If an examinee attempts an extra question, that answer deserving higher award should be retained and the other scored out.
- (ix) Word limit wherever prescribed, if violated up to 10%. On both sides, may be ignored. If the violation exceeds 10%, 1 mark may be deducted.
- (x) Head-examiners will approve the standard of marking of the examiners under them only after ensuring the non-violation of the instructions given in the marking scheme.

2090/2040

(xi) Head-examiners and examiners are once again requested and advised to ensure the authenticity of their evaluation by going through the answers seriously, sincerely and honestly. The advice, if not headed to, will bring a bad name to them and the Institution.

महत्वपूर्ण निर्देश :

- (i) अंक-योजना का उद्देश्य मूल्यांकन को अधिकाधिक वस्तुनिष्ठ बनाना है। अंक-योजना में दिए गए उत्तर-बिन्दु आंतिम नहीं हैं। ये सुझावात्मक एवं सांकेतिक हैं। यदि परीक्षार्थी ने इनसे भिन्न, किन्तु उपयुक्त उत्तर दिए हैं, तो उसे उपयुक्त अंक दिए जाएँ।
- (ii) शुद्ध, सार्थक एवं सटीक उत्तरों को यथायोग्य अधिमान दिए जाएँ।
- (iii) परीक्षार्थी द्वारा अपेक्षा के अनुरूप सही उत्तर लिखने पर उसे पूर्णांक दिए जाएँ।
- (iv) वर्तनीगत अशुद्धियों एवं विषयांतर की स्थिति में अधिक अंक देकर प्रोत्साहित न करें।
- (v) भाषा-क्षमता एवं अभिव्यक्ति-कौशल पर ध्यान दिया जाए।

2090/2040 P. T. O.

(vi) मुख्य-परीक्षकों /उप-परीक्षकों को उत्तर-पुस्तिकाओं का मूल्यांकन करने के लिए केवल Marking Instructions/
Guidelines दी जा रही हैं, यदि मूल्यांकन निर्देश में किसी
प्रकार की त्रुटि हो, प्रश्न का उत्तर स्पष्ट न हो, मूल्यांकन
निर्देश में दिए गए उत्तर से अलग कोई और भी उत्तर सही हो
तो परीक्षक, मुख्य-परीक्षक से विचार-विमर्श करके उस प्रश्न का
मूल्यांकन अपने विवेक अनुसार करें।

Note: Attempt any **two** questions from Question Number **1** to **3**. **Rest are compulsory**.

- Common Rail Direct Injection system.
 Components: Storage, filter, delivery of fuel,
 Types Common rail, Individual pump.1 + 2 + 3 = 6
- **2.** For protecting electrical equipment against effects of excessive currents & need. Types ceramic, Blade type, bullet. 1 + 1 + 4 = 6
- **3.** Any *two* defects, causes and remedies.2 + 2 + 2 = 6
- 4. Any **six** precautions.

3

5. Definition.

1 + 1 + 1 = 3

2090/2040

| о. | To measure internal and external distant | |
|------|--|----------|
| | Parts-outside jaw, inside jaw, Depth probe, m scale, vernier scale, retainer. 1 + 2 | |
| 7. | Excessive fuel consumption, No pick up, He starting, valve sticks, Engine overheats. | ard 3 |
| 8. | To transmit engine power to rear drive axles. | 3 |
| 9. | Used for suspension in wheeled vehicles. | 3 |
| 10. | Struts, shock absorbers, springs, tyres. | 2 |
| 11. | To smooth out shock and dissipate energy. | 2 |
| 12. | Wire with an alligator clop on each end. | 2 |
| 13. | Parts of service manual. | 2 |
| 14. | Threaded fasteners that hold on wheels. | 2 |
| 15. | Precision measuring instrument for measur distance between two faces digitally. | ing 2 |
| 2090 |)/ 2040 P. T | |
| | • • • | |

| 16. | For setting and transferring angles. | 2 |
|-----|---|---------|
| 17. | Loose or broken water pump pulley belt, level of coolant, faulty thermostat, water pump | |
| 18. | When clutch runs noisily and slips, do rengage and disengage. | ot 2 |
| 19. | Device employing gears, capable of transmitti torque and rotation through three shafts. | ng 2 |
| 20. | Gearbox | 1 |
| 21. | Computer | 1 |
| 22. | Light Emitting Diode | 1 |
| 23. | Resistance | 1 |
| 24. | Yellow | 1 |
| 25. | Cathode Ray Tube | 1 |

2090/2040

| | | (7) | 2090/2040 |
|-----|-------------------|-----|-----------|
| 26. | Centrifugal pump | | 1 |
| 27. | Odometer | | 1 |
| 28. | Tachometer | | 1 |
| 29. | Screw pitch gauge | | 1 |